Lopi™
Traditional Gas Fireplace Range

Lopi Fireplaces

Lopi gas fireplaces are skillfully manufactured at America's largest privately owned fireplace company in the Mukilteo, Washington State - USA.
The 11-acre manufacturing facility in Mukilteo, aptly named 'The House of Fire' employs up to 600 employees and located just thirty minutes north of Seattle.

All Lopi fireplaces are manufactured in the USA since 1980 and have leading warranties and customer service support.
Lopi fireplaces have been warming Australian homes for more than 30 years and are sold exclusively at over 75 fireplace specialists throughout the country.

How Do You Say Lopi?

Lopi [**low**-pie]

noun

1. Beauty, strength and independence.

We hear a lot of different pronunciations - Lopey...Loopee...Loppy!
It's actually pronounced "Low-Pie", and was created by the president of Travis Industries, manufacturer of Lopi heaters, Kurt Rumens.
Lopi means beauty, strength and independence and has become a legend in its own right.

ProBuilder™ *Traditional Fireplace Series* | See Page 6

The ProBuilder™ Series represents Lopi's entry level traditional gas fireplace range. This series of fireplaces feature large viewing areas and a 'Clean Face' design. Featuring a detailed traditional log-set, optional fireback liners and the option to upgrade to the GreenSmart® Basic remote, they are ideal in many areas of your home.

Premium ProBuilder™ *Traditional Fireplace Series* | See Page 7-8

The Premium ProBuilder™ Series includes all of the features of the Premium Range just with a little less heat.

Premium *Traditional Fireplace Series* | See Pages 11-19

The Premium Series represents fully featured GreenSmart® 2 fireplaces in a traditional style.
All models include GreenSmart® 2 remote, GreenSmart Pilot, Smart thermostat, Comfort Control, Accent Lighting, 6 speed fans, discreet safety screens, premium media options, and multiple finishing options.

Lopi 864CF 40K Model Shown

‘No Power Required’

Natural Draft
Direct Vent Technology

Every Lopi gas fireplace features
‘Natural Draft Direct Vent Technology’

This process naturally draws fresh air into the firebox from outside and removes all exhaust gases back outside without effecting the air quality in the room.

Best of all, this technology means that this process does not require power which makes for a quiet, reliable fireplace that can even be used during a power outage.



CoolSmart™ Wall - Design Flexibility

The unique features of CoolSmart™ Wall allows you to sit back and watch your television in complete comfort and silence. When you switch off the fans on your Lopi fireplace you can enjoy the radiant heat and beautiful flames whilst the CoolSmart system safely pulls the heat away to a wall mounted vent acting as a “powerless fan”.
The CoolSmart™ system is available as either a top vent above the fireplace or as a side vent configuration where vents are mounted to either side of the fireplace enclosure.

CoolSmart™ Vents hot air to top or side vents

CoolSmart™ Side Vent Option

CoolSmart™ Top Vent Option

- TV or Artwork - No Recess Required
- Reduced Clearances Above Fireplace to TV or Artwork
- Finish Your Wall with a Combustible Material*
- Hang artwork or TV without a deflector shelf

*Selected Models Only - When combustible is mounted to 1/2” Non Combustible Board

Lopi ProBuilder™ **36CF GSB**

The ProBuilder™ 36 Clean Face GSB features clean lines and contemporary styling, this fireplace is understated elegance suitable in any home. The beautiful tall flames dance around the firebox on an elevated staged 'Dancing-Fyre™' burner.

The ProBuilder 36CF is designed with an angled firebox to provide radiant heat through the huge fire viewing glass, plus natural convection from the five-sided convection chamber, delivering optimum warmth with or without the use of a fan.

Heating Capacity:	Up to 100Sqm*
Mj Input:	High 26Mj NG & LPG
	Low 15Mj NG - 14Mj LPG
Max kW Output:	5.1
Viewing Area:	915mm wide x 867mm high

Optional Brick Fireback Liner

Optional Glass Fireback Liner

Optional GreenSmart® Basic Remote

The GreenSmart Basic Remote is available on all ProBuilder™ models and allows you to set an on/off thermostat and switch your fireplace on or off without getting up!



Lopi ProBuilder™ 36CF GSB

*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

Lopi Premium ProBuilder™ **24CF GS2**

The Lopi ProBuilder™ 24 Clean Face GS2 sets a new trend in traditional gas fireplaces. It's stunning portrait format means this fireplace fits where no other can. Perfect for in between windows, in bedrooms, kitchens and hallways or as a fire feature anywhere in your home. This fireplace is fully loaded with all the GreenSmart® 2 features and Ember Glo™ lighting. The highly detailed deluxe Oak log-set is included as standard with the option of Birch log and two optional fireback liners available, brick or black glass to further enhance this fireplace.

Heating Capacity: Up to 65Sqm*
Mj Input: High 18Mj NG & LPG
Max kW Output: 3.9
Viewing Area: 626mm wide x 867mm high

GreenSmart® 2 Technology

See Page back page for more information

Ember Glo™ Lighting

This lighting enhances the fireplace with the effect of glowing embers at the base of the tiered stage burner.

Optional Birch Log

Optional Glass Liner

Optional Brick Liner

GREEN2SMART™

Lopi ProBuilder™ 24CF GS2

*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

Lopi Premium ProBuilder™ **36CF See Thru GS2**

The ProBuilder 36 Clean Face See-Thru GS2 (Double Sided Fireplace) is the perfect choice for anyone wanting to divide a large living space or integrate two separate rooms. The unique see-thru or double-sided fireplace adds visual depth and dimension to any space while showcasing two stunning views of the fire. The ProBuilder 36 See-Thru is ideal for providing supplemental warmth to mid-sized homes and living spaces.

This model is equipped with GreenSmart 2 technology, a remote-controlled fireplace that features an impressive flame that you can relax in front of. The design of this model means it can be easily incorporated into almost any home design.

Heating Capacity: Up to 165Sqm*
Mj Input: High 41Mj NG & LPG
Low 11Mj NG - 10Mj LPG
Max kW Output: 7.7
Viewing Area: 915mm wide x 867mm high

GreenSmart® 2 Technology

See Page back page for more information

Ember Glo™ Lighting

This lighting enhances the fireplace with the effect of glowing embers at the base of the tiered stage burner.

Optional Birch Log

Optional Glass Liner



Optional Brick Liner

Lopi ProBuilder™ 36CF ST GS2- Oak Log

*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

Lopi ProBuilder™ 24CF GS2

See Installation Manual for full clearances





ⓐ The fireplace enclosure must be a minimum of 1347mm tall. Do not build into the fireplace enclosure

Lopi ProBuilder™ 36CF GSB

See Installation Manual for full clearances



*Includes 1/2" (25mm) clearance to each side and rear of the fireplace



ⓐ The fireplace enclosure must be a minimum of 1572mm tall. Do not build into the fireplace enclosure

Lopi ProBuilder™ 36CF See Thru GS2

See Installation Manual for full clearances







Premium Traditional Fireplaces

Superior Flames
The Premium Traditional gas fireplace range lead the way with its realistic log-sets and flame patterns available.

High Heat Output
Although each model produces heat, there are two models available within the Premium range that are ‘high heat output’ fireplaces. These models are the 564CF 35K GS2 & 864CF 40K GS2.
The combination of ceramic glass, gas input and powerful blowers make these fireplaces unbeatable heaters when even more heat is required.

Clear Fire Safety Screen
A very fine mesh safety screen is included on every Lopi gas fireplace. This mesh is strong but so fine that it does not interrupt the view of your fireplace. The screen is mounted 25mm from the glass so any potential danger is eliminated.

Accent Lighting
Accent lighting is featured on every traditional fireplace and transforms the firebox by highlighting the log media and helps in casting shadows against many of the fireback liner options. Accent lights are featured either in the top of the firebox or behind the rear log. Lighting is controlled by the GS2 remote from off up to 6 levels in intensity to suit your mood.

Ember Glo™ Lighting
The ProBuilder™ 24CF GS2, ProBuilder™ 36CF ST GS2, 564CF 25K & 35K and 864CF 31K & 40K GS2 feature Ember Glo™ lighting controlled by the GS2 remote. This lighting further enhances the fireplace with the effect of glowing embers at the base of the heater.

Quiet Fans
Every fireplace features quiet dual fans that are controlled by the GS2 Remote Control which can be turned off completely and up to 6 speeds for complete control.

‘Clean Face’ Traditional Fireplaces

Clean Face (CF) Fireplaces

There are four ‘Clean Face’ models available, the Lopi 564CF 25K, 564CF 35K, 864CF 31K and 864CF 40K GS2.
These models have a minimal clean look to the fireplace with almost zero exposed surrounds, just glass, flame and a discreet trim.
The included ‘Clear Fire’ safety screen offers protection from the hot glass for pets and children but is almost invisible offering an unobstructed view of the fire.



Example of firebox with 50mm trim & non combustible wall sheeting

Example of exposed firebox surround (no trim) with stone

Lopi **564CF 25K GS2**

The minimal design of the 564 Clean Face 25K with reduced dimensions takes up less space in your home, which makes installing this fireplace simple.
This allows you the flexibility of a adding fire to almost any room in your home.

This top or rear vent fireplace features a “clean face” look without the need for grills or a face.
The 564 Clean Face 25K is a deluxe model that comes standard with Ember-Glo™ ember bed lighting, adjustable overhead Accent Lights, detailed oak log set. You can also add the CoolSmart Wall™ option making it easy to install a television directly above you fireplace.

Heating Capacity: Up to 100Sqm*
Mj Input: High 26.4Mj NG & LPG
Low NG 9Mj | LPG 6.7Mj
Max kW Output: 5.1
Viewing Area: 797mm wide x 460mm high

GREEN2SMART

Lopi 564CF 25K GS2 - Black Glass Fireback Liner & 10mm Finishing Trim
*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

Lopi **564CF 35K GS2**

The Lopi 564 35K Clean Face GS2 is a mid-sized fireplace that delivers big heat. This high output model is ideal for larger spaces in your home or colder climates. This fireplace features massive dancing flames and realistic Ember-Glo™ ember bed lighting, with your choice of highly detailed 10-piece Classic Oak or Birch Log Sets.

The “Clean Face” style of this model is designed to resemble the look of an open, traditional fireplace with minimal trim around the viewing glass. The 564 35K is a fully-loaded fireplace that features the GreenSmart® Remote Control, 180 CFM Convection Fan, Accent Lights, and the optional CoolSmart TV Wall™ Kit.

Heating Capacity:	Up to 158Sqm*
Mj Input:	High 35Mj NG & LPG
	Low 13.5Mj NG - 18.1Mj LPG
Max kW Output:	7.5
Viewing Area:	797MM wide x 460mm high

Lopi 564CF 35K GS2 - Black Glass Fireback Liner & 50mm FInishing Trim

*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

Lopi **864CF 31K GS2**

The 864 CF 31K GS2 is standard with the ‘Clean Face’ meaning you can finish this fireplace in a minimal way without the need for grills. The 864 CF 31K GS2 is perfect for medium sized rooms or as a beautiful, decorative fire all year long. It features a wide Mj turn down range for more heat flexibility and flame viewing options.

Features on this model include overhead lighting and Ember-Glo™ ember bed lighting.
Use your fireplace as a lighting feature all year round!

Heating Capacity:	Up to 125Sqm*
Mj Input:	High 31Mj NG & LPG Low NG 7Mj | LPG 5.5Mj
Max kW Output:	7.13
Viewing Area:	865mm wide x 570mm high

Lopi 864CF 31K GS2 - Glass Fireback Liner & 10mm Finishing Trim

*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

Lopi **864CF 40K GS2**

The Lopi 864CF 40K GS2 is the new standard in high heat output traditional gas fireplaces. With it's Clean Face design you are able to finish this fireplace in a minimal way without the need for grills or louvers.

The 864CF 40K GS2 is perfect for larger living spaces. This model features ceramic glass for increased radiant heat, 6 speed quiet fans, GreenSmart® 2 Technology, Comfort Control as well as overhead accent lighting and Ember-Glo™ ember bed lighting. Heating up to 185sqm* this fireplace can be turned down by 64% means this fireplace is suitable for many spaces and can be used all year round.

Heating Capacity: Up to 185Sqm*
Mj Input: High 42Mj NG & LPG
Low 15Mj NG - 12Mj LPG
Max kW Output: 8.1
Viewing Area: 865MM wide x 570mm high

Lopi 864CF 40K GS2 - Glass Fireback Liner & 10mm Finishing Trim
*Heating capacity varies according to the size of closed off area, ceiling height, floor plan, insulation and outside air temperature

Optional Fireback Liners

Fireback liners become the rear and side panels within the firebox itself and can enhance the fireplace dramatically.

Black Glass

Straight Brick

Herringbone Brick

Handmade Brick

Ledgestone

Old World Stucco

Stacked Tan Brick

564CF & 864CF Finishing Trims

Complete your 564 or 864 Clean Face fireplace with a stylish 10mm beveled or 50mm flat finishing trim.


10mm Black Finishing Trim

50mm Black Finishing Trim

Image - 10mm Black Finishing Trim on 564CF 25K GS2

Lopi 564CF 25K GS2

See Installation Manual for full clearances





Lopi 564CF 35K GS2

See Installation Manual for full clearances







Lopi 864CF 31K & 40K GS2

See Installation Manual for full clearances





559mm Standard Facing (drywall contacts side of fireplace)
572mm Submerged Facing (drywall butts non-comb. facing)

ⓐ **864CF 31K GS2** Minimum enclosure height = 1220mm
864CF 40K GS2 Minimum enclosure height = 1594mm

GreenSmart 2™ Features

Exclusively Featuring GREEN2SMART™

- **GreenSmart® Remote**
  A remote control supplied as standard on GS2 models allowing you to control the GreenSmart 2™ features
- **GreenSmart® Pilot**
  Both electronic (IPI) & continuous (CPI) pilot modes
- **Accent Lighting**
  Adding a warm glow to your fire for added atmosphere
- **Smart or On/Off Thermostat Modes**
  An option that automatically adjusts flame height to a set temperature and switch on/off
- **6 Speed Blower**
  For increased transfer of convection heat
- **Comfort Control™**
  Turn on / off the rear burner for even more control of your fireplace



Authorised Lopi Dealer:

Proudly Supporting
STEVE WAUGH FOUNDATION
www.stevewaughfoundation.com.au

Distributed in Australia
by Dragon Wholesaling Pty Ltd
Ph. 1800 064 234
www.lopi.com.au

Note: Improper installation of your gas appliance or failure to operate it in accordance to the guidelines detailed in the installation manual may negate warranty and endanger your home and family. Installation information is available on our website at www.lopi.com.au
We recommend all Lopi appliances be installed and maintained on an annual basis by your local authorised Lopi dealer.

Brochure Version 11/2025